



Proposed Paddock Substation

Photomontage Booklet

November 2022

Viewpoint Location Map



5

4

3

2


1

6

7

8

9





BASELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:52

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: West
 Location: E704236 N748907

Eye level: 86.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 250m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP01



PROPOSED



AECOM Delivering a better world


Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:52

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: West
 Location: E704236 N748907

Eye level: 86.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 250m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP01



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:52

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: West
 Location: E704236 N748907

Eye level: 86.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 250m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP01



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:40

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South West
 Location: E704166 N749090

Eye level: 87.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 275m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP02



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:40

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South West
 Location: E704166 N749090

Eye level: 87.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 275m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP02



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:40

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South West
 Location: E704166 N749090

Eye level: 87.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 275m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP02



BASELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:24

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South
 Location: E704030 N749435

Eye level: 84.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 560m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP03



PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:24

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South
 Location: E704030 N749435

Eye level: 84.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 560m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP03



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:24

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South
 Location: E704030 N749435

Eye level: 84.3m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 560m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP03



BASELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 10:35

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South
 Location: E703773 N749717

Eye level: 84.7m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 845m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP04



PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 10:35

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South
 Location: E703773 N749717

Eye level: 84.7m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 845m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP04



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 05/04/2022 10:35

Camera: Nikon D750
Lens: Nikon 50mm f/1.4G
Horizontal Field of View: 90°
Direction of View: South
Location: E703773 N749717

Eye level: 84.7m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 845m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
VP04



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:03

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South East
 Location: E703075 N749917

Eye level: 89.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1270m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP05



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:03

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South East
 Location: E703075 N749917

Eye level: 89.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1270m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP05



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 11:03

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: South East
 Location: E703075 N749917

Eye level: 89.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1270m

Note:
 Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP05



BASELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:59

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: East
 Location: E703211 N748621

Eye level: 91.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 600m

Note:
 Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP06



PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:59

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: East
 Location: E703211 N748621

Eye level: 91.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 600m

Note:
 Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP06



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:59

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: East
 Location: E703211 N748621

Eye level: 91.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 600m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP06



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:42

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E703740 N747796

Eye level: 83.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 930m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP07



PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:42

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E703740 N747796

Eye level: 83.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 930m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP07



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:42

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E703740 N747796

Eye level: 83.6m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 930m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP07



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:23

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E704577 N747250

Eye level: 83.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1570m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP08



PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:23

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E704577 N747250

Eye level: 83.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1570m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP08



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:23

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North
 Location: E704577 N747250

Eye level: 83.4m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1570m

Note: Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP08



BASELINE



AECOM Delivering a better world

Visualisation Type: 3
 Projection: Cylindrical
 Enlargement Factor: 96%
 Paper Size: A1
 Date / Time: 05/04/2022 12:04

Camera: Nikon D750
 Lens: Nikon 50mm f/1.4G
 Horizontal Field of View: 90°
 Direction of View: North West
 Location: E705315 N747337

Eye level: 82.7m AOD
 Height of Camera: 1.6m
 Distance to Main Development Area: 1910m

Note:
 Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
 VP09



Shride
RIDE
km
H 6

STAY
SAFE
&
PUT
DOWN

PROPOSED



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 05/04/2022 12:04

Camera: Nikon D750
Lens: Nikon 50mm f/1.4G
Horizontal Field of View: 90°
Direction of View: North West
Location: E705315 N747337

Eye level: 82.7m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 1910m

Note:
Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
VP09



Shride
RIDE
km
H 6

STAY
OFF THE
ROAD
&
PUT
DOWN

WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 05/04/2022 12:04

Camera: Nikon D750
Lens: Nikon 50mm f/1.4G
Horizontal Field of View: 90°
Direction of View: North West
Location: E705315 N747337

Eye level: 82.7m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 1910m

Note:
Images to be viewed at a comfortable arm's length.

Proposed Paddock Substation
VP09